

MINIATURE ADJUSTABLE CRIMP TOOL



UMH-860 , MINIATURE ADJUSTABLE CRIMP TOOL



Description:

Corresponding to M22520/7-01

The UMH-860 is suitable for the range 16 to 28 AWG

It is compatible to MIL-DTL-22520/7* and AS22520/7*.

Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UMH-860

MINIATURE ADJUSTABLE INDENT CRIMP TOOL



UAFM-08 , MINIATURE ADJUSTABLE INDENT CRIMP TOOL



Description:

Corresponding to M22520/2-01

The UAFM-08 is suitable for the range 20 to 32 AWG.

It is compatible to MIL-DTL-22520/2* and AS22520/2*.

Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UAFM-08

STANDARD ADJUSTABLE INDENT CRIMP TOOL



UAF-08 , STANDARD ADJUSTABLE INDENT CRIMP TOOL



Description:

Corresponding to M22520/1-01

The UAF-08 is suitable for the range 12 to 26 AWG.

Turret heads are available to be used with this tool.

It is compatible to MIL-DTL-22520/1* and AS22520/1*.

Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UAF-08



UM300-BT , INDENT CRIMP TOOL



Description:

The UM300-BT is suitable for the range 6 to 14 AWG.

Pneumatic equivalent: WA27-300-BT-EP

Use with G394 Gage

Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UM300-BT



UK-40,UK-41,UK42 , POSITIONERS



UK-40

Corresponding to M22520/2-07

This positioner is used with the , UAFM-08 tool frame.
It is compatible to MIL-DTL-22520/2*and AS22520/2*.

UK-41

Corresponding to M22520/2-06

This positioner is used with the , UAFM-08 tool frame.
It is compatible to MIL-DTL-22520/2*and AS22520/2*.

UK-42

Corresponding to M22520/2-09

This positioner is used with the , UAFM-08 tool frame.
It is compatible to MIL-DTL-22520/2*and AS22520/2*.

Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UK-40,UK-41,UK-42



UK-13-1, UK-86-6, POSITIONERS



UK-13-1

Description:

Corresponding to M22520/2-08

This positioner is used with the , UAFM-08 tool frame.
It is compatible to MIL-DTL-22520/2* and AS22520/2*.

UK-86-6

Corresponding to M22520/7-07

The UK-86-6 positioner is used with the UMH-860 crimp tools to locate contacts horizontally and vertically between the indenters of the tools.
It is compatible to AS22520/7*.



Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UK-13-1, UK-86-6



UK-86-87, UK-43 , POSITIONERS



UK-86-87

Description:

Corresponding to M22520/7-08

The UK-86-87 positioner is used with the UMH-860 crimp tools to locate contacts horizontally and vertically between the indenters of the tools.

It is compatible to AS22520/7*.

UK-43

Corresponding to M22520/2-10

This positioner is used with the , UAFM-08 tool frame.

It is compatible to MIL-DTL-22520/2*and AS22520/2*.



Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UK-86-87, UK-43



UKTH-1A, UKTH-163 , TURRET HEADS



UKTH-1A

Description:

Corresponding to M22520/1-02

UKTH-1A Turret head is used with the UAF-08 tool frame. It is compatible to MIL-DTL-22520/1* and AS22520/1*.



UKTH-163

Corresponding to M22520/1-04

UKTH-163 Turret head is used with the UAF-08 tool frame. It is compatible to MIL-DTL-22520/1* and AS22520/1*.

Note: Product color may slightly vary due to photographic lighting sources or your monitor settings.

Model No. : UKTH-1A, UKTH-163